





Bird Friendly Frit Pattern

Bird Collision and Frit Patterns

Most birds will not fly into surfaces that have 2 inches or less of clear horizontal space or 4 inches or less of clear vertical space.



Size Limitations



Please contact our Sales Team regarding any specific design criteria or quoting considerations you may have.

Contact: sales@criscurva.com
Toll Free: 866.827.6049



Manufacturing Capabilities

- All glass colors
- 1/4" to 3/4"
- Flat
- Curved
- Low E
- Holes, notches & cut-outs
- Edge Finishes
- Laminated
- IGU

Laminated Glass Notes:


Glass Thickness:
Min: 1/4" + 1/4"
Max: 4"

Interlayer Thickness:
From 0.030" to 0.090"

Interlayer Types:

- PVB Clear
130" (3.30m) x 338" (8.60m)
- PVB Color/Opaque/Translucent
96" (2.46m) x 338" (8.60m)
- XIR®
78" (2.00m) x 338" (8.60m)
- Trosifol® SC
126" (3.21m) x 338" (8.60m)
- Trosifol® ES
126" (3.21m) x 338" (8.60m)
- DG 41
126" (3.21m) x 338" (8.60m)
- SentryGlas® Clear
130" (3.30m) x 338" (8.60m)
- SentryGlas® Translucent White
72" (1.83m) x 338" (8.60m)

*Width Up to 130" available upon request



White Frit Clear Glass

www.cristacurva.com

[click here](#)

